

(5) Radiation Dosage of Tokyo Electric Power Co., Inc.'s Fukushima Daiichi Nuclear Power Station

| Item \ FY | | 1988 | 1989 | 1990 | 1991 | 1992 | 1993 | 1994 | 1995 | 1996 | 1997 |
|---|----------|-------|--------|-------|-------|-------|--------|-------|-------|--------|--------|
| Number of personnel engaged in radiation work (number of personnel) | Employee | 658 | 663 | 700 | 742 | 705 | 772 | 840 | 836 | 879 | 877 |
| | Others | 8,474 | 9,442 | 8,516 | 8,969 | 9,250 | 10,124 | 8,627 | 8,847 | 9,397 | 10,419 |
| | Total | 9,132 | 10,105 | 9,216 | 9,711 | 9,955 | 10,896 | 9,467 | 9,683 | 10,276 | 11,296 |
| Collective dose (person-Sv) | Employee | 82 | 0.69 | 0.73 | 0.73 | 0.46 | 0.62 | 0.54 | 0.6 | 0.56 | 0.54 |
| | Others | 1,781 | 25.47 | 22.12 | 16.62 | 13.46 | 22.21 | 16.81 | 13.62 | 17.92 | 29.12 |
| | Total | 1,863 | 26.16 | 22.85 | 17.35 | 13.92 | 22.83 | 17.35 | 14.22 | 18.47 | 29.66 |
| Average individual dosage (mSv) | Employee | 0.12 | 1.0 | 1.0 | 1.0 | 0.6 | 0.8 | 0.6 | 0.7 | 0.6 | 0.6 |
| | Others | 0.21 | 2.7 | 2.6 | 1.9 | 1.5 | 2.2 | 1.9 | 1.5 | 1.9 | 2.8 |
| | Total | 0.20 | 2.6 | 2.5 | 1.8 | 1.4 | 2.1 | 1.8 | 1.5 | 1.8 | 2.6 |
| Number of reactors | | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 |

Note 1: This is the amount of total dose line (man·rem) until fiscal year 1988.

Note 2: This is the amount of average dose line (man·rem) until fiscal year 1988.

(6) Radiation Dosage of Tokyo Electric Power Co., Ltd.'s Fukushima Daini Nuclear Power Station

| Item \ FY | | 1988 | 1989 | 1990 | 1991 | 1992 | 1993 | 1994 | 1995 | 1996 | 1997 |
|---|----------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| Number of personnel engaged in radiation work (number of personnel) | Employee | 430 | 409 | 461 | 465 | 436 | 465 | 523 | 513 | 522 | 522 |
| | Others | 5,553 | 5,580 | 5,649 | 5,047 | 5,525 | 5,571 | 5,860 | 5,277 | 5,801 | 5,773 |
| | Total | 5,983 | 5,989 | 6,110 | 5,512 | 5,961 | 6,036 | 6,383 | 5,790 | 6,323 | 6,295 |
| Collective dose (person-Sv) | Employee | 21 | 0.21 | 0.22 | 0.21 | 0.22 | 0.22 | 0.18 | 0.18 | 0.22 | 0.18 |
| | Others | 522 | 8.74 | 10.51 | 4.38 | 5.55 | 4.31 | 4.58 | 2.63 | 4.90 | 3.18 |
| | Total | 543 | 8.94 | 10.72 | 4.59 | 5.77 | 4.53 | 4.76 | 2.81 | 5.12 | 3.35 |
| Average individual dosage (mSv) | Employee | 0.05 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.3 | 0.3 | 0.4 | 0.3 |
| | Others | 0.09 | 1.6 | 1.9 | 0.9 | 1.0 | 0.8 | 0.8 | 0.5 | 0.8 | 0.6 |
| | Total | 0.09 | 1.5 | 1.8 | 0.8 | 1.0 | 0.8 | 0.7 | 0.5 | 0.8 | 0.5 |
| Number of reactors | | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 |

Note 1: This is the amount of total dose line (man·rem) until fiscal year 1988.

Note 2: This is the amount of average dose line (man·rem) until fiscal year 1988.