

(3) Fabrication facility

Facility		Gaseous radioactive waste	Liquid radioactive waste
		Uranium [U] (Bq/cm ³)	Uranium [U] (Bq/cm ³)
Global Nuclear Fuel - Japan Co., Ltd.	Fabrication facility total	N.D.	N.D.
	Concentration control target value	1.5×10^{-9}	8×10^{-3}
Mitsubishi Nuclear Fuel Co., Ltd.	Fabrication facility total	N.D.	N.D.
	Concentration control target value	1.5×10^{-9}	8×10^{-3}
Nuclear Fuel Industries., Ltd., Tokai Works	Fabrication facility total	N.D.	N.D.
	Concentration control target value	1.5×10^{-9}	8×10^{-3}
Nuclear Fuel Industries., Ltd., Kumatori Works	Fabrication facility total	N.D.	N.D.
	Concentration control target value	1.5×10^{-9}	8×10^{-3}
Japan Atomic Energy Agency Ningyo-toge Environmental Engineering Center Prototype Uranium Enrichment Plant ^{*7}	Fabrication facility total	N.D.	N.D. ^{**8}
	Concentration control target value	1×10^{-8}	5×10^{-3}
Japan Nuclear Fuel Ltd. Enrichment and Burial Plant (fabrication facility)	Fabrication facility total	N.D.	N.D.
	Concentration control target value	2×10^{-8}	1×10^{-3}

Note: Released radioactivity concentration lower than the detection limit concentration is represented as N.D.

The detection limit concentration is as follows: (Bq/cm³)

	Gaseous radioactive waste	Liquid radioactive waste
Global Nuclear Fuel - Japan Co., Ltd.	3.1×10^{-11} or lower	3.0×10^{-4} or lower
Mitsubishi Nuclear Fuel Co., Ltd.	1.0×10^{-10} or lower	4.0×10^{-4} or lower
Nuclear Fuel Industries., Ltd., Tokai Works	1.3×10^{-10} or lower	3.4×10^{-4} or lower
Nuclear Fuel Industries., Ltd., Kumatori Works		6.2×10^{-4} or lower
Exhaust outlet (2)	8.3×10^{-11} or lower	
Exhaust outlet (3)	1.1×10^{-10} or lower	
Japan Atomic Energy Agency Ningyo-toge Environmental Engineering Center, Prototype Uranium	1.0×10^{-10} or lower	3.0×10^{-4} or lower
Japan Nuclear Fuel Limited, Enrichment and Burial Plant (fabrication faci	2×10^{-9} or lower	1.1×10^{-4} or lower

*7 Hereinafter referred to as "Japan Atomic Energy Agency, Prototype Uranium Enrichment Plant."

*8 No discharge in the 1st, 2nd, and 4th quarters.