

III. Mean and maximum values of the concentration of radioactive materials in groundwater in waste burial facility for three months

(Bq/cm³)

Facility	Measured point	First three months (Oct. to Dec.)		Second three months (Jan. to Mar.)		Detection limit value
		Mean value	Maximum value	Mean value	Maximum value	
Japan Nuclear Fuel Limited, Enrichment and Burial Plant	Groundwater monitoring equipment (1)	ND	ND	ND	ND	6×10 ⁻¹ (³ H) 1×10 ⁻³ (⁶⁰ Co) 7×10 ⁻⁴ (¹³⁷ Cs)
	Groundwater monitoring equipment (2)	ND	ND	ND	ND	6×10 ⁻¹ (³ H) 1×10 ⁻³ (⁶⁰ Co) 7×10 ⁻⁴ (¹³⁷ Cs)
	Groundwater monitoring equipment (3)	ND	ND	ND	ND	6×10 ⁻¹ (³ H) 1×10 ⁻³ (⁶⁰ Co) 7×10 ⁻⁴ (¹³⁷ Cs)
	Groundwater monitoring equipment (4)	ND	ND	ND	ND	6×10 ⁻¹ (³ H) 1×10 ⁻³ (⁶⁰ Co) 7×10 ⁻⁴ (¹³⁷ Cs)
	Groundwater monitoring equipment (5)	ND	ND	ND	ND	6×10 ⁻¹ (³ H) 1×10 ⁻³ (⁶⁰ Co) 7×10 ⁻⁴ (¹³⁷ Cs)
	Groundwater monitoring equipment (6)	ND	ND	ND	ND	6×10 ⁻¹ (³ H) 1×10 ⁻³ (⁶⁰ Co) 7×10 ⁻⁴ (¹³⁷ Cs)
	Groundwater monitoring equipment (7)	ND	ND	ND	ND	6×10 ⁻¹ (³ H) 1×10 ⁻³ (⁶⁰ Co) 7×10 ⁻⁴ (¹³⁷ Cs)
Japan Atomic Energy Agency, Tokai R&D Center, Nuclear Science Laboratories						