

(3) Radiation Dosage of Japan Atomic Power Company Co., Ltd.'s Tsuruga Power Station

| Item \ FY | | 1984 | 1985 | 1986 | 1987 | 1988 | 1989 | 1990 | 1991 | 1992 | 1993 |
|---|----------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| Number of personnel engaged in radiation work (number of personnel) | Employee | 227 | 235 | 383 | 339 | 292 | 276 | 265 | 272 | 267 | 298 |
| | Others | 3,609 | 2,865 | 4,437 | 4,471 | 4,468 | 3,461 | 3,423 | 3,560 | 3,084 | 3,831 |
| | Total | 3,836 | 3,100 | 4,820 | 4,810 | 4,760 | 3,737 | 3,688 | 3,832 | 3,351 | 4,129 |
| Collective dose (person-Sv) | Employee | 54 | 39 | 40 | 42 | 40 | 0.22 | 0.25 | 0.26 | 0.26 | 0.28 |
| | Others | 1,073 | 472 | 522 | 570 | 1,113 | 3.41 | 3.02 | 4.04 | 3.99 | 4.51 |
| | Total | 1,127 | 511 | 562 | 612 | 1,154 | 3.63 | 3.27 | 4.30 | 4.25 | 4.79 |
| Average individual dosage (mSv) | Employee | 0.24 | 0.17 | 0.10 | 0.12 | 0.14 | 0.8 | 1.0 | 1.0 | 1.0 | 0.9 |
| | Others | 0.30 | 0.16 | 0.12 | 0.13 | 0.25 | 1.0 | 0.9 | 1.1 | 1.3 | 1.2 |
| | Total | 0.29 | 0.16 | 0.12 | 0.13 | 0.24 | 1.0 | 0.9 | 1.1 | 1.3 | 1.2 |
| Number of reactors | | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |

Note 1: This is the amount of total dose line (man · rem) until fiscal year 1988.

Note 2: This is the amount of average dose line (man · rem) until fiscal year 1988.

(4) Radiation Dosage of Tohoku Electric Power Co., Inc.'s Onagawa Nuclear Power Station

| Item \ FY | | 1984 | 1985 | 1986 | 1987 | 1988 | 1989 | 1990 | 1991 | 1992 | 1993 |
|---|----------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| Number of personnel engaged in radiation work (number of personnel) | Employee | 218 | 206 | 199 | 196 | 199 | 248 | 278 | 280 | 310 | 347 |
| | Others | 1,336 | 1,802 | 1,888 | 1,760 | 1,845 | 1,803 | 1,937 | 1,701 | 2,237 | 1,937 |
| | Total | 1,554 | 2,008 | 2,087 | 1,956 | 2,044 | 2,051 | 2,215 | 1,981 | 2,547 | 2,284 |
| Collective dose (person-Sv) | Employee | 3 | 5 | 5 | 3 | 4 | 0.05 | 0.04 | 0.04 | 0.03 | 0.03 |
| | Others | 6 | 62 | 64 | 49 | 52 | 1.04 | 0.76 | 0.50 | 0.82 | 0.36 |
| | Total | 9 | 67 | 69 | 53 | 56 | 1.09 | 0.80 | 0.55 | 0.85 | 0.39 |
| Average individual dosage (mSv) | Employee | 0.01 | 0.03 | 0.02 | 0.02 | 0.02 | 0.2 | 0.2 | 0.2 | 0.1 | 0.1 |
| | Others | 0.00 | 0.03 | 0.03 | 0.03 | 0.03 | 0.6 | 0.4 | 0.3 | 0.4 | 0.2 |
| | Total | 0.01 | 0.03 | 0.03 | 0.03 | 0.03 | 0.5 | 0.4 | 0.3 | 0.3 | 0.2 |
| Number of reactors | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |

Note 1: This is the amount of total dose line (man · rem) until fiscal year 1988.

Note 2: This is the amount of average dose line (man · rem) until fiscal year 1988.