

(5) Radiation Dosage of Tokyo Electric Power Co., Inc.'s Fukushima Daiichi Nuclear Power Station

| Item \ FY | | 1984 | 1985 | 1986 | 1987 | 1988 | 1989 | 1990 | 1991 | 1992 | 1993 |
|---|----------|--------|--------|--------|--------|-------|--------|-------|-------|-------|--------|
| Number of personnel engaged in radiation work (number of personnel) | Employee | 846 | 882 | 806 | 673 | 658 | 663 | 700 | 742 | 705 | 772 |
| | Others | 9,260 | 10,098 | 10,827 | 10,054 | 8,474 | 9,442 | 8,516 | 8,969 | 9,250 | 10,124 |
| | Total | 10,106 | 10,980 | 11,633 | 10,727 | 9,132 | 10,105 | 9,216 | 9,711 | 9,955 | 10,896 |
| Collective dose (person-Sv) | Employee | 193 | 166 | 127 | 101 | 82 | 0.69 | 0.73 | 0.73 | 0.46 | 0.62 |
| | Others | 4,556 | 4,493 | 3,846 | 3,514 | 1,781 | 25.47 | 22.12 | 16.62 | 13.46 | 22.21 |
| | Total | 4,750 | 4,660 | 3,973 | 3,615 | 1,863 | 26.16 | 22.85 | 17.35 | 13.92 | 22.83 |
| Average individual dosage (mSv) | Employee | 0.23 | 0.19 | 0.16 | 0.15 | 0.12 | 1.0 | 1.0 | 1.0 | 0.6 | 0.8 |
| | Others | 0.49 | 0.44 | 0.36 | 0.35 | 0.21 | 2.7 | 2.6 | 1.9 | 1.5 | 2.2 |
| | Total | 0.47 | 0.42 | 0.34 | 0.34 | 0.20 | 2.6 | 2.5 | 1.8 | 1.4 | 2.1 |
| Number of reactors | | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 |

Note 1: This is the amount of total dose line (man · rem) until fiscal year 1988.

Note 2: This is the amount of average dose line (man · rem) until fiscal year 1988.

(6) Radiation Dosage of Tokyo Electric Power Co., Ltd.'s Fukushima Daini Nuclear Power Station

| Item \ FY | | 1984 | 1985 | 1986 | 1987 | 1988 | 1989 | 1990 | 1991 | 1992 | 1993 |
|---|----------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| Number of personnel engaged in radiation work (number of personnel) | Employee | 435 | 437 | 449 | 441 | 430 | 409 | 461 | 465 | 436 | 465 |
| | Others | 4,952 | 4,871 | 5,266 | 5,293 | 5,553 | 5,580 | 5,649 | 5,047 | 5,525 | 5,571 |
| | Total | 5,387 | 5,308 | 5,715 | 5,734 | 5,983 | 5,989 | 6,110 | 5,512 | 5,961 | 6,036 |
| Collective dose (person-Sv) | Employee | 21 | 29 | 20 | 20 | 21 | 0.21 | 0.22 | 0.21 | 0.22 | 0.22 |
| | Others | 440 | 212 | 202 | 242 | 522 | 8.74 | 10.51 | 4.38 | 5.55 | 4.31 |
| | Total | 461 | 241 | 222 | 262 | 543 | 8.94 | 10.72 | 4.59 | 5.77 | 4.53 |
| Average individual dosage (mSv) | Employee | 0.05 | 0.07 | 0.04 | 0.05 | 0.05 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 |
| | Others | 0.09 | 0.04 | 0.04 | 0.05 | 0.09 | 1.6 | 1.9 | 0.9 | 1.0 | 0.8 |
| | Total | 0.09 | 0.05 | 0.04 | 0.05 | 0.09 | 1.5 | 1.8 | 0.8 | 1.0 | 0.8 |
| Number of reactors | | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 |

Note 1: This is the amount of total dose line (man · rem) until fiscal year 1988.

Note 2: This is the amount of average dose line (man · rem) until fiscal year 1988.