

5. Management Status of Radioactive Solid Waste by Fiscal Year

plant name	fiscal year	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996
		Tokai Power Plant	Amount of drums generated (number of drums)						0	248	220
Amount of drums of strage accumulated (number of drums)							0	248	468	692	948
Amount of reduction of drums of incineration etc (number of drums)							0	0	0	0	0
Amount of reduction of drums carried out (number of drums)							0	0	0	0	0
Amount of other kinds of generation (equivalent to number of drums)							0	16	0	0	0
Amount of other kinds of strage accumulated (equivalent to number of drums)							0	16	16	16	16
Amount of reduction of other kinds of compressions etc. (equivalent to number of drums)							0	0	0	0	0
Amount of storing equipment capacity (equivalent to number of drums)							5,000	5,000	5,000	5,000	5,000
Tokai Daini Power Plant	Amount of drums generated (number of drums)	1,165	1,650	1,394	1,452	1,798	2,096	1,907	2,337	1,911	2,090
	Amount of drums of strage accumulated (number of drums)	19,245	20,059	20,888	21,647	22,459	24,020	23,793	24,166	23,723	23,443
	Amount of reduction of drums of incineration etc (number of drums)	1,773	836	565	693	986	535	534	684	754	770
	Amount of reduction of drums carried out (number of drums)	0	0	0	0	0	0	1,600	1,280	1,600	1,600
	Amount of other kinds of generation (equivalent to number of drums)	277	387	92	136	373	877	582	769	329	517
	Amount of other kinds of strage accumulated (equivalent to number of drums)	1,516	*1 1,450	1,496	1,628	1,953	2,830	3,326	4,095	4,243	4,742
	Amount of reduction of other kinds of compressions etc. (equivalent to number of drums)	0	454	46	4	48	0	86	0	181	18
	Amount of storing equipment capacity (equivalent to number of drums)	35,500	35,500	35,500	35,500	35,500	35,500	35,500	35,500	35,500	35,500

Note: *1 The reason why the sum of total amount of storage at the end of the previous fiscal year and the amount of generation in fiscal year concerned are not corresponding to the values is due to the error from rounding off the conversion calculation.